

№ 202520025



240020349055



中国认可

检测报告

检测报告

委托单位：湖南长沙某公司

委托日期：2025年1月1日

检测地点：湖南长沙某公司

检测项目：金属材料力学性能检测

检测标准：GB/T 228.1-2010



河南省产品质量检验技术研究院

国家建筑装饰材料质量监督检测中心

国家质量监督检验检疫总局

品名	规格	数量	产地	生产厂家	检验日期
花岗岩	2000*3000	100	河南	河南石材厂	2025-03-24
大理石	2000*3000	100	河南	河南石材厂	2025-03-24
人造石	2000*3000	100	河南	河南石材厂	2025-03-24
陶瓷	2000*3000	100	河南	河南陶瓷厂	2025-03-24
木材	2000*3000	100	河南	河南木材厂	2025-03-24
油漆	2000*3000	100	河南	河南油漆厂	2025-03-24
涂料	2000*3000	100	河南	河南涂料厂	2025-03-24
腻子	2000*3000	100	河南	河南腻子厂	2025-03-24
石膏	2000*3000	100	河南	河南石膏厂	2025-03-24
水泥	2000*3000	100	河南	河南水泥厂	2025-03-24

品名

规格

数量

产地

生产厂家

检验日期

2025-03-24

100

河南

河南石材厂

花岗岩

2000*3000

100

河南

河南石材厂

大理石

2000*3000

100

河南

河南石材厂

人造石

2000*3000

100

河南

河南石材厂

陶瓷

2000*3000

100

河南

河南陶瓷厂

木材

2000*3000

100

河南

河南木材厂

油漆

2000*3000

100

河南

河南油漆厂

涂料

2000*3000

100

河南

河南涂料厂

腻子

2000*3000

100

河南

河南腻子厂

石膏

2000*3000

100

河南

河南石膏厂

水泥

2000*3000

100

河南

河南水泥厂

检验日期

2025-03-24

100

河南

河南石材厂

花岗岩

2000*3000

100

河南

河南石材厂

大理石

2000*3000

100

河南

河南石材厂

人造石

2000*3000

100

河南

河南石材厂

陶瓷

2000*3000

100

河南

河南陶瓷厂

木材

2000*3000

100

河南

河南木材厂

油漆

2000*3000

100

河南

河南油漆厂

涂料

2000*3000

100

河南

河南涂料厂

腻子

2000*3000

100

河南

河南腻子厂

石膏

2000*3000

100

河南

河南石膏厂

水泥

2000*3000

100

河南

河南水泥厂

检验日期

2025-03-24

100

河南

河南石材厂

花岗岩

2000*3000

100

河南

河南石材厂

大理石

2000*3000

100

河南

河南石材厂

人造石

2000*3000

100

河南

河南石材厂

陶瓷

2000*3000

100

河南

河南陶瓷厂

木材

2000*3000

100

河南

河南木材厂

油漆

2000*3000

100

河南

河南油漆厂

涂料

2000*3000

100

河南

河南涂料厂

腻子

2000*3000

100

河南

河南腻子厂

石膏

2000*3000

100

河南

河南石膏厂

水泥

2000*3000

100

河南

河南水泥厂

检验日期

2025-03-24

100

河南

河南石材厂

花岗岩

2000*3000

100

河南

河南石材厂

大理石

2000*3000

100

河南

河南石材厂

河南省产品质量检验技术研究院
河南省产品质量检验技术研究院
河南省产品质量检验技术研究院

河南省产品质量检验技术研究院

河南省产品质量检验技术研究院

河南省产品质量检验技术研究院




检验检测报告

No:202520025

共3页 第3页

样品名称	薄砖 (CBP/CB-M)	规格型号	600mm×1200mm×5.5mm
------	---------------	------	--------------------

序号	检验项目	技术要求	检验结果	判定
1	尺寸偏差	GB/T 21709-2018	符合	合格
2	吸水率	≤1.0%	符合	合格
3	抗折强度	≥10.0MPa	符合	合格



注 意 事 项

1. 报告无我单位“检验检测专用章”和无编制/审核/审核批准/签发/签字无效

4. 检验结果仅对已接收样品负责。未经检验机构同意，任何人不得擅自使用检验结果进行不正当宣传。
5. 对本报告若有异议，请于收到检验检测报告之日起十五日（食品类七个工作日）内，向我单位或上级主管部门、国家检验检疫合格评定管理部门提出，逾期不予受理。

Quality Control Department

Our main concern is to provide the most accurate and reliable information possible. We will continue to work hard to improve our services and ensure that you are always satisfied with the results we provide.

我们致力于为您提供最准确、最可靠的信息。我们将继续努力，提高我们的服务水平，确保您对我们的服务始终感到满意。

Our goal is to provide you with the highest quality of service and the most accurate and reliable information possible. We will continue to work hard to improve our services and ensure that you are always satisfied with the results we provide.

我们的目标是为您提供最高质量的服务和最准确、最可靠的信息。我们将继续努力，提高我们的服务水平，确保您对我们的服务始终感到满意。

Quality Control Department

Quality Control Department

Quality Control Department

Quality Control Department

Quality Control Department

Quality Control Department