

No 202520038



240020349855



中国认可
国际互认

0105591171

产品名称: 岁月·双喜(红)

Sample

委托单位: 家好万寿康医药投资有限公司

Requester

生产单位: 家好万寿康医药投资有限公司

Manufacturer

委托单位: 家好万寿康医药投资有限公司

Client

检验项目: 卫生安全

Inspection Item



河南省产品质量检验技术研究院

国家建筑装饰材料质量检验检测中心

检验检测报告

No: 2025200380

共 2 页 第 1 页

样品名称 Sample	岁月·风华 (FMC)	商标 Brand	蒙娜丽莎
委托单位 Clientele	蒙娜丽莎集团股份有限公司	联系电话 Telephone	13360820773
生产厂家 Manufacturer	蒙娜丽莎集团股份有限公司	联系电话 Telephone	13360820773
受检单位	蒙娜丽莎	联系电话	

规格型号 Model	600mm×1200mm ×9mm	样品等级 Sample Grade	优等品	检查封样人员 Sample Checker	陈霞
检验项目 Items	全项 放射性 可溶性铅和镉含量 莫氏硬度				
检验依据	GB/T4100-2015 附录 C, JJ 207-2021, JC/T908-2013, Q/410				

样品状态 Sample State	样品外观完好
主要缺陷	
批准 Approver	陈永生
验证 Verifier	何元世
编辑 Editor	陈永生

河南省产品质量检验研究院
 国家建筑装饰材料质量检验检测中心

序号	项目	规格	标准	检测方法	检测结果	判定
5	厚度	2016	GB 7589.1-2016	最大允许偏差	±0.20	符合
6	平整度	2016	GB 7589.1-2016	最大允许偏差	-0.20	符合
7	垂直度	2016	GB 7589.1-2016	最大允许偏差	±0.02~+0.03	符合
8	表面平整度	2016	GB 7589.1-2016	最大允许偏差	±0.5	符合
9	接缝高低差	2016	GB 7589.1-2016	最大允许偏差	±0.5	符合
10	接缝直线度	2016	GB 7589.1-2016	最大允许偏差	±0.5	符合

序号	项目	规格	标准	检测方法	检测结果	判定
11	厚度	2016	GB 7589.1-2016	最大允许偏差	±0.20	符合
12	平整度	2016	GB 7589.1-2016	最大允许偏差	-0.20	符合
13	垂直度	2016	GB 7589.1-2016	最大允许偏差	±0.02~+0.03	符合
14	表面平整度	2016	GB 7589.1-2016	最大允许偏差	±0.5	符合
15	接缝高低差	2016	GB 7589.1-2016	最大允许偏差	±0.5	符合
16	接缝直线度	2016	GB 7589.1-2016	最大允许偏差	±0.5	符合

检验检测报告

序号 No.	检验项目 Items	单位 Unit	检验方法依据 Standards	标准要求 Specification	检验结果 Test Data	单项结论 Conclusion
5	放射性	内照射指数	GB6566-2010	A类: ≤0.9	0.6	符合
		外照射指数	GB6566-2010	A类: ≤1.2	0.9	符合
16	甲醛含量 和铜含量	mg/kg	GB 2027-2021	≤15	<0.5 (检出限)	符合
		铜 mg/kg	HJ 297-2021	≤2	<0.5 (检出限)	符合
	耐老化					

检测结果判定表

序号	检验项目	标准要求	检测结果	判定
5	放射性	符合	符合	符合
16	甲醛含量和铜含量	符合	符合	符合
	耐老化			

注意事項

1. 報告與我單位“檢驗檢測專用章”和夾鑰匙/主任、審核、批准/簽發簽字無效。
2. 報告復印件未重新加蓋我單位“檢驗檢測專用章”或有任何塗改無效。

1. 報告與我單位“檢驗檢測專用章”和夾鑰匙/主任、審核、批准/簽發簽字無效。

2. 報告復印件未重新加蓋我單位“檢驗檢測專用章”或有任何塗改無效。

3. 報告復印件未重新加蓋我單位“檢驗檢測專用章”或有任何塗改無效。

Notice

1. The report is invalid without "The Special Seal for Inspection and Testing", and without the signature of Director or Chief Inspector, Auditor, Approver or Issuer.

2. The copy report is invalid without "The Special Seal for Inspection and Testing" and it is invalid if it is altered.

3. The report is invalid if it is altered without the signature of Director or Chief Inspector, Auditor, Approver or Issuer.

4. The copy report is invalid without "The Special Seal for Inspection and Testing" and it is invalid if it is altered.

5. The report is invalid if it is altered without the signature of Director or Chief Inspector, Auditor, Approver or Issuer.

6. The copy report is invalid without "The Special Seal for Inspection and Testing" and it is invalid if it is altered.

7. The report is invalid if it is altered without the signature of Director or Chief Inspector, Auditor, Approver or Issuer.

8. The copy report is invalid without "The Special Seal for Inspection and Testing" and it is invalid if it is altered.

9. The report is invalid if it is altered without the signature of Director or Chief Inspector, Auditor, Approver or Issuer.

10. The copy report is invalid without "The Special Seal for Inspection and Testing" and it is invalid if it is altered.

11. The report is invalid if it is altered without the signature of Director or Chief Inspector, Auditor, Approver or Issuer.

12. The copy report is invalid without "The Special Seal for Inspection and Testing" and it is invalid if it is altered.

13. The report is invalid if it is altered without the signature of Director or Chief Inspector, Auditor, Approver or Issuer.

14. The copy report is invalid without "The Special Seal for Inspection and Testing" and it is invalid if it is altered.

15. The report is invalid if it is altered without the signature of Director or Chief Inspector, Auditor, Approver or Issuer.